

TEST REPORT

Report number: R20211229-0040-E **Receipt number:** 210301548-001
Sample name: 1010Image **Capacity / Volume:** 100 mL
Manufactured date: - **Lot number:** Exp20241130
Applicant: ILGONGILGONG.Co.,Ltd. **Contact number:** JFR01211201
Address: 201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil,
Bucheon-si, Gyeonggi-do, Republic of Korea
Receipt date: Dec. 21, 2021 **Completion date:** 032-623-8171
Purpose of testing: Reference **Expiration date:** Dec. 29, 2021
Expiration date: Nov. 30, 2024

Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Lead (Pb)	Below 20 µg/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by ICP-OES	Not detected	LOQ : 2
Arsenic (As)	Below 10 µg/g		Not detected	LOQ : 2
Nickel (Ni)	Below 10 µg/g		Not detected	LOQ : 2

*** Continue ***

Testing person : Hyeyeon Kang

Testing manager : Jade Jang

According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.



TEST REPORT

Report number:	R20211229-0040-E	Receipt number:	210301548-001
Sample name:	1010Image	Capacity / Volume:	100 mL
Manufactured date:	-	Lot number:	Exp20241130 JFR01211201
Applicant:	ILGONGILGONG.Co.,Ltd.	Contact number:	032-623-8171
Address:	201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil, Bucheon-si, Gyeonggi-do, Republic of Korea		
Receipt date:	Dec. 21, 2021	Completion date:	Dec. 29, 2021
Purpose of testing:	Reference	Expiration date:	Nov. 30, 2024

Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Antimony (Sb)	Below 10 µg/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by ICP-MS	Not detected	LOQ : 0.5
Cadmium (Cd)	Below 5 µg/g		Not detected	LOQ : 0.5

*** Continue ***

Testing person : Hyeyeon Kang

Testing manager : Jade Jang

According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.



TEST REPORT

Report number:	R20211229-0040-E	Receipt number:	210301548-001
Sample name:	1010Image	Capacity / Volume:	100 mL
Manufactured date:	-	Lot number:	Exp20241130 JFR01211201
Applicant:	ILGONGILGONG.Co.,Ltd.	Contact number:	032-623-8171
Address:	201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil, Bucheon-si, Gyeonggi-do, Republic of Korea		
Receipt date:	Dec. 21, 2021	Completion date:	Dec. 29, 2021
Purpose of testing:	Reference	Expiration date:	Nov. 30, 2024

Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Mercury (Hg)	Below 1 µg/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by DMA	Not detected	LOQ : 0.02

*** Continue ***

Testing person : Seonghun Hwang

Testing manager : Jade Jang

According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.



TEST REPORT

Report number:	R20211229-0040-E	Receipt number:	210301548-001
Sample name:	1010Image	Capacity / Volume:	100 mL
Manufactured date:	-	Lot number:	Exp20241130 JFR01211201
Applicant:	ILGONGILGONG.Co.,Ltd.	Contact number:	032-623-8171
Address:	201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil, Bucheon-si, Gyeonggi-do, Republic of Korea		
Receipt date:	Dec. 21, 2021	Completion date:	Dec. 29, 2021
Purpose of testing:	Reference	Expiration date:	Nov. 30, 2024

Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Dioxane	Below 100 µg/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by Headspace -GC/MS	Not detected	LOQ : 1

*** Continue ***

Testing person : Soojin Kim

Testing manager : Jade Jang



According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.



TEST REPORT

Report number:	R20211229-0040-E	Receipt number:	210301548-001
Sample name:	1010Image	Capacity / Volume:	100 mL
Manufactured date:	-	Lot number:	Exp20241130 JFR01211201
Applicant:	ILGONGILGONG.Co.,Ltd.	Contact number:	032-623-8171
Address:	201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil, Bucheon-si, Gyeonggi-do, Republic of Korea		
Receipt date:	Dec. 21, 2021	Completion date:	Dec. 29, 2021
Purpose of testing:	Reference	Expiration date:	Nov. 30, 2024

Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Methanol	Below 0.2 %	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by GC-FID	Not detected	LOQ : 0.01

*** Continue ***

Testing person : Seonghun Hwang

Testing manager : Jade Jang

According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.



※ You can verify the forgery and authenticity by the barcode at the end of this document.

TEST REPORT

Report number:	R20211229-0040-E	Receipt number:	210301548-001
Sample name:	1010Image	Capacity / Volume:	100 mL
Manufactured date:	-	Lot number:	Exp20241130 JFR01211201
Applicant:	ILGONGILGONG.Co.,Ltd.	Contact number:	032-623-8171
Address:	201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil, Bucheon-si, Gyeonggi-do, Republic of Korea		
Receipt date:	Dec. 21, 2021	Completion date:	Dec. 29, 2021
Purpose of testing:	Reference	Expiration date:	Nov. 30, 2024


Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Formaldehyde	Below 2000 µg/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by LC	Not detected	LOQ : 10
Phthalates (DBP,DEHP,BBP)	Below 100 µg/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety and determined by GC-MS	Not detected	LOQ : 5

*** Continue ***

Testing person : Woojin Hwang, Soojin Kim

Testing manager : Jade Jang 

According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.



TEST REPORT

Report number:	R20211229-0040-E	Receipt number:	210301548-001
Sample name:	1010Image	Capacity / Volume:	100 mL
Manufactured date:	-	Lot number:	Exp20241130 JFR01211201
Applicant:	ILGONGILGONG.Co.,Ltd.	Contact number:	032-623-8171
Address:	201-1104, Chunui Techno Park, 18, Bucheon-ro 198beon-gil, Bucheon-si, Gyeonggi-do, Republic of Korea		
Receipt date:	Dec. 21, 2021	Completion date:	Dec. 29, 2021
Purpose of testing:	Reference	Expiration date:	Nov. 30, 2024

Test Method : Please see below.

Test item(s) & result(s)

Test Item(s)	Test standards / Specification (Unit)	Test Method	Test Result(s)	Remark(s)
Total aerobic microbial count(TAMC)	cfu/g	With reference to the Notice No. 2020-12 of The Korean Ministry of Food and Drug Safety	0	-
Escherichia Coli	-		Not detected	-
Pseudomonas aeruginosa	-		Not detected	-
Staphylococcus aureus	-		Not detected	-

*** End ***

Testing person : Sanghyun Mang

Testing manager : Jade Jang

According to Article 11(2) of the Testing and Inspection of Food and Drugs Act and Article 12(4).(1) of the Enforcement Regulation of the Act, as reported above test results issue the report.

Dec. 29, 2021

Intertek Testing Services Korea Ltd.

(Accreditation number: No. 11)

1. The result is the data only tested to the sample(s).
2. The result could not be on advertisement and trial acts.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

